

REACKON
सदियों के लिए



DOOR FRAMES, VENTILATORS
IS AN IMPORTANT ELEMENT
IN BUILDING WHICH HAS TO BE
TOUGH ENOUGH IMPACT RESISTANT
WITH MATCHLESS ELEGANCE
TO OVERCOME
ALL SHORTCOMINGS IN
WOODEN & STEEL FRAMES
FREE FROM EFFECTS OF


**WEATHER, FIRE,
CORROSION, TERMITES
ABOVE ALL IT SHOULD BE
ECONOMICAL TOO**

AVAILABLE IN WIDE RANGE OF SECTIONS
AND SIZES TO YOUR TOTAL NEEDS

Mfg.

Ready Mix Concrete
Doors Frames - Ventilators
Paving Blocks - Designer Tiles
Fly Ash Bricks
PVC Moulds

(Paving Blocks, Designer Tiles, Cover Blocks, Door Frame)



Spacers are most Effective, Strudy and Stable to position the reinforcement and 100% Economical too.

**REDEFINED
CONCRETE**
Solutions



REACKON
सदियों के लिए

An ISO 9001 - 2008 Company

**DOOR FRAMES- VENTILATORS
COVER BLOCK - SPACERS**

Dial: 0712-2777258, 09561067700/16/40
email : reackonnagpur@gmail.com
visit us at : www.reackon.com

Cover Blocks - Spacers plays an important role to provide required cover to reinforcement of structural member (Slab, Beam, Column etc.)

Cover Blocks - Spacers are more Reliable to ensure the Positioning of reinforcement and confirm to act in accordance to structural design. Ultimately makes concrete structure more Durable and Long lasting.




Cover Block - Spacers Provides appropriate cover which stops penetration of air-moisture helps to avoids Rusting (Corrosion) of steel and Spalling of concrete too.

Where Strength, Durability and Reliability are Paramount, **Reackon Cover Blocks - Spacers** are proven choices.


- Sturdy, Stable, Suitable & Effective to support reinforcement.
- Smooth finished, Easy to carry and Cost Effective too.
- Easy to place with Dimensional accuracy and Precise Enough Strength.
- **100%** Bonding with surrounded concrete.
- Unaffected by Vibrations, Tampering and Movement of labours.
- Do not Buckle, Topple, Crumble or Disintegrate.
- An Ideal replacement to Steel/Plastic chairs.

| PARTICULARS | SIZES | CONCRETE GR. |
|-------------|--------------------------------------|--------------|
| COVER BLOCK | 20mm, 25mm, 30mm, 40mm, 50mm | M-40 |
| SPACER | (100mm-200mm) (4"-8") Slab Thickness | M-40 |

PAVERS



Reinforcement without cover



Reinforcement with uniform cover blocks

कवर ब्लॉक्स - स्पेसर निर्माण कार्य के स्ट्रक्चरल मेंबर (स्लैब, कॉलम, बीम इत्यादी) के रेनफोर्समेंट को स्ट्रक्चरल डिज़ाइन अनुसार कवर देने की महत्वपूर्ण भूमिका निभाते हैं।

कवर ब्लॉक्स - स्पेसर का इस्तेमाल करने से कॉंक्रीट मेंबर में स्ट्रक्चरल डिज़ाइन अनुसार रेनफोर्समेंट सही जगह पर बनाये रहता है एवं निर्माणकार्य अधिक मजबूत और टिकाऊ होता है।

कवर ब्लॉक्स - स्पेसर कॉंक्रीट मेंबर के रेनफोर्समेंट को हवा और नमी से बचाते हैं, जिसके फलस्वरूप रेनफोर्समेंट को जंग नहीं लगता एवं कॉंक्रीट की पपड़ीया नहीं गीरती।

रिकॉन कवर ब्लॉक्स - स्पेसर की विश्वसनियता अधिक मजबूती और बेहतर फिनीशिंग के लिए सर्वोपरी है।

रिकॉन स्पेसर स्टिल चेअर के मुकाबले आधे से भी कम किमत के होते हैं।




HOLDFAST ARRANGEMENT



HINGES BLOCK



HINGES MOUNTING



TOWER BOLT MOUNTING

FEATURES

ASTHETIC APPEARANCE

WEATHER - FIRE RESISTANT

CORROSION TERMITE PROOF

HEAVY IMPACT RESISTANT

LINTEL'S ARE NOT REQUIRED

EASY TO ASSEMBLE

CONFIRM TO PROVISION OF

ISI 6523/1983

ABOVE ALL IT IS MAINTENANCE

FREE AND ECO FRIENDLY

TECHNICAL SPECIFICATIONS

| CONCRETE GRADE | REINFORCEMENT | SECTION SIZE | WEIGHT PER MTR. | HOLDFAST |
|----------------|---------------|----------------------------------|-------------------------|----------------------|
| M-40 | 6MM M.S. BARS | 60 X 100 65 X 115 75 X 125 | 13 KG 15 KG 18 KG | 6 - NOS GI - BOLT |

SIZES (ANY HEIGHT & WIDTH TO YOUR REQUIREMENT)

| SIZE | FEET | MILLIMETERS |
|--------|---------------------------------------|---|
| HEIGHT | 2."0" TO 8."0" @ Every 3" interval | 600 mm to 2500 mm @ Every 75 mm interval |
| WIDTH | 2."0" TO 6."0" @ Every 3" interval | 600 mm to 2000 mm @ Every 75 mm interval |